

ADDENDUM NO. 3

DATE: March 1, 2023

TO: All Planholders

FROM: Tom Runkle
Project Manager

RE: Dickinson Park Sports Fields Renovations
Project No.: 21-1558

OWNER: St. Joseph Public Schools
2580 S. Cleveland Ave.
St. Joseph, MI 49085

The following items are changes and/or clarifications to the contract documents and shall be included in the Bid Proposal. All of these items will be part of the Contract Documents. The Bidder will acknowledge receipt of this Addendum in the appropriate space provided below and include this Addendum with their submitted bid. Failure to do so may result in disqualification of the bid.

Drawings: (all revisions have been clouded and tagged with a delta-3)

1. Sheet 5 – Baseball Field Site Enlargement Plan
 - a. Revise locations of Infield Mix vs. Warning Track Mix.
2. Sheet 6 – Softball Field Site Enlargement Plan
 - a. Revise locations of Infield Mix vs. Warning Track Mix.
3. Sheet 15 – Construction Details
 - a. Revise Infield Mix detail.
 - b. Add Warning Track Mix detail.

Specifications: (all revisions are shown in bold italic type)

1. Section 11 68 33 – Baseball Field Equipment
 - a. Revise Infield Mix product and supplier.
 - b. Add Warning Track Mix product and supplier information.
 - c. Add Stone Dust product and supplier information.
2. Section C-410 – Bid Form
 - a. Revise Measurement unit of line item 24 – Infield Mix.
 - b. Add line item 25 – Warning Track Mix.
 - c. Add line item 26 – Stone Dust.
 - d. Revise subsequent line item numbers accordingly.

Please acknowledge receipt of this addendum by signing below and attaching to the bid forms.

Should you have any questions or comments, please feel free to contact our office.


DATE

BIDDING FIRM

AUTHORIZED REPRESENTATIVE

Attachments: Revised Plan sheets and Specification Sections noted above.






INV 663.50'
 INV N 622.45'
 INV S 637.45'
 INV W 657.65'
 (BELOW GRADE)

11-76-0026-0106-00-5
 ST JOSEPH CITY OF
 2499 STADIUM DR

NOTES

1. PRESS BOX / CONCESSION STRUCTURE LOCATION SHALL BE ENTIRELY CONCRETE SIDEWALK IF ALTERNATE 1 IS NOT ACCEPTED.
2. ALL RADII FORMED FOR CONCRETE SIDEWALK CURVES SHALL BE SMOOTH AND CONTINUOUS. CURVES THAT ARE SEGMENTED, NON-CONTINUOUS, OR OF DIFFERING DIMENSIONS THAN THOSE NOTED WILL BE REJECTED.
3. RECOMMENDED FIELD RESTORATION CONTRACTOR:
 TURF SERVICES
 17205 148TH AVE
 SPRING LAKE, MI 49456
 616-842-4975
 TURFSERV@GK.COM
 OR EQUAL



DICKINSON PARK
 SPORTS FIELDS RENOVATIONS
 ST JOSEPH, MI

SOFTBALL FIELD SITE
 ENLARGEMENT PLAN

SHEET TITLE:
 DRAWN BY:
 TR
 DESIGNED BY:
 TR
 PM REVIEW:
 TR
 QA/QC REVIEW:
 DATE:
 2/3/2022
 SEAL:

SIGNATURE:
 DATE:

HARD COPY IS INTENDED TO BE 24" X 36" WHEN PLOTTED. SCALE(S) INDICATED AND GRAPHIC QUALITY MAY NOT BE ACCURATE FOR ANY OTHER SIZES.
 SCALE:
 HORIZ: AS NOTED
 VERT:
 ACI JOB #

21-1558

NO.	REVISION DESCRIPTION:	BY:	DATE:
3	ADDENDUM 3	TRR	3/1/2023
2	ADDENDUM 2	TRR	2/24/2023
1	ADDENDUM 1	TRR	2/16/2023

SECTION 11 68 33

BASEBALL FIELD EQUIPMENT

PART 1 - GENERAL

1.01 SECTION INCLUDES

- A. Bases
- B. Homeplate
- C. Pitcher's Rubber
- D. Infield Mix
- E. Baseball Tension Netting System
- F. Softball Tension Netting System
- G. Backstop Padding
- H. Foul Pole

1.02 SUBMITTALS

- A. Product Data: Submit manufacturer's product literature, technical specifications, stamped and sealed structural drawings and calculations (see respective items for required documentation below) and other data required to demonstrate compliance with specified requirements for all athletic equipment.

1.03 QUALITY ASSURANCE

- A. Fabrication and installation of site improvements by experienced craftsmen with excellent record of performance on completed projects of comparable size, scope, and quality.
- B. All materials, hardware and furnishings shall be new, first quality.

1.04 FIELD MEASUREMENTS

- A. Contractor shall verify position and layout of all athletic field equipment. Verify dimensions by field measurements.

PART 2 – PRODUCTS

2.01 BASEBALL PRODUCTS

- A. Manufacturers and product selections named are provided to establish the minimum standard. Substitution of "equal" products must comply with C-700 of the General Conditions.

B. COMPONENTS

- 1. BASES:** Model: Shibl Schutt Hollywood Impact Base, Set of three (3); Premium, professional construction with patented chevron design, compresses upon impact, regulation size – 15" x 15" x 2-1/2", mounted with 6" base stanchions. One (1) set (3 Bases) per field.

- a. Included Accessories: 6" base stanchions

Manufacturer: Sportsfield Specialties

41155 State Highway 10

Delhi, NY 13753

888-975-3343

www.sportsfieldspecialties.com

Or Equal

2. HOMEPLATE: Model: SHP-UM Hollywood MLB Universal Pro Style Home Plate, 1-1/2" thick, permanent installation, high durability molded rubber construction, mounted with 7" stanchion. One (1) per field.

a. Included Accessories: 7" base stanchion

Manufacturer: Sportsfield Specialties
41155 State Highway 10
Delhi, NY 13753
888-975-3343
www.sportsfieldspecialties.com

Or Equal

3. PITCHER'S RUBBER: Model: SHBBPB Four (4) Sided Professional Pitching Rubber, 24" long x 6" wide four sided pitching rubber, designed to be rotated in playing surface, ultra-durable molded rubber construction around an aluminum cylindrical tube lining to be filled with concrete in the field. One (1) per field.

Manufacturer: Sportsfield Specialties
41155 State Highway 10
Delhi, NY 13753
888-975-3343
www.sportsfieldspecialties.com

Or Equal

4. INFIELD MIX: Product: **15 Series Standard Mix**

Available from: **Mar-co Clay Products Inc.**
R.R.3
Bright, Ontario, Canada
800-950-2555
www.marcoclay.com

Or Equal

5. WARNING TRACK MIX: Product: **CTS-20, baked red clay aggregate/dust**

Available from: **Mar-co Clay Products Inc.**
R.R.3
Bright, Ontario, Canada
800-950-2555
www.marcoclay.com

6. STONE DUST: Product: **Stone Dust**

Available from: **Grand Rapids Gravel**
2700 28th Street SW
Grand Rapids, MI 49509
616-538-9000
www.grgravel.com

Or Equal

7. BASEBALL TENSION NETTING SYSTEM: Model: TNPPUC, Custom pole to pole tension netting system, includes powder coat black steel poles with welded tabs, cabling, hardware per drawings and specifications and black Ultra Cross Knotless Dyneema netting with 1-3/4" square mesh and a rope bound perimeter.
Ultra Cross Netting

40'H x 155' L
(4) total Poles
12.750x0.375
46' L w/ 6' embedment
Poles to go through backstop wall
Include GS-CUSTOM ground sleeve product, 12'x 9' L sleeve through
masonry wall.
9' total groundsleeve length

Contractor to include cost for stamped and sealed drawings and calculations by a licensed professional engineer for pole to pole tension ground sleeve insert or direct pole embedment ball safety netting systems, structural design details and concrete anchoring foundation based on local building codes and soil conditions, available from manufacturer.

Manufacturer: Sportsfield Specialties
41155 State Highway 10
Delhi, NY 13753
888-975-3343
www.sportsfieldspecialties.com

Or Equal

8. SOFTBALL TENSION NETTING SYSTEM: Model: TNPPUC, Custom pole to pole tension netting system, includes powder coat black steel poles with welded tabs, cabling, hardware per drawings and specifications and black Ultra Cross Knotless Dyneema netting with 1-3/4" square mesh and a rope bound perimeter.

Ultra Cross Netting
30' H x 77' L
(4) total Poles
6.625x0.3280
34' L w/ 4' embedment
Poles to go through backstop wall
Include GS-CUSTOM ground sleeve product, 6'x 7' L sleeve through
masonry wall.
7' total groundsleeve length

Contractor to include cost for stamped and sealed drawings and calculations by a licensed professional engineer for pole to pole tension ground sleeve insert or direct pole embedment ball safety netting systems, structural design details and concrete anchoring foundation based on local building codes and soil conditions, available from manufacturer.

Manufacturer: Sportsfield Specialties
41155 State Highway 10
Delhi, NY 13753
888-975-3343
www.sportsfieldspecialties.com

Or Equal

9. BACKSTOP PADDING: Model: BFWPZ43 BaseZone Field Wall
Padding, 4'W x 3'L x 3.75" D, aluminum Z-clip attachment (for walls), color to

be chosen during submittal process from manufacturer's standard color options.

Manufacturer:: Sportsfield Specialties
41155 State Highway 10
Delhi, NY 13753
888-975-3343
www.sportsfieldspecialties.com

Or Equal

10. FOUL POLE: Model: FPW630, 30'H Baseball/Softball Foul Pole with mesh wing, ground sleeve insert mount, 6" Aluminum Pole, Powder Coated Yellow.

Manufacturer: Sportsfield Specialties
41155 State Highway 10
Delhi, NY 13753
888-975-3343
www.sportsfieldspecialties.com

Or Equal

PART 3 – EXECUTION

3.01 INSTALLATION OF EQUIPMENT

A. All athletic equipment shall be installed as recommended with manufacturer's written directions, and as indicated on the drawings.

END OF SECTION

BID FORM FOR CONSTRUCTION CONTRACT

The terms used in this Bid with initial capital letters have the meanings stated in the Instructions to Bidders, the General Conditions, and the Supplementary Conditions.

ARTICLE 1—OWNER AND BIDDER

- 1.01 This Bid is submitted to: **St. Joseph Public Schools, 2580 S Cleveland Ave, St Joseph, MI 49085**
- 1.02 The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with Owner in the form included in the Bidding Documents to perform all Work as specified or indicated in the Bidding Documents for the prices and within the times indicated in this Bid and in accordance with the other terms and conditions of the Bidding Documents.

ARTICLE 2—ATTACHMENTS TO THIS BID

- 2.01 The following documents are submitted with and made a condition of this Bid:
- A. Required Bid security;
 - B. List of Proposed Subcontractors;
 - C. List of Proposed Suppliers;
 - D. Evidence of authority to do business in the state of the Project; or a written covenant to obtain such authority within the time for acceptance of Bids;
 - E. Contractor’s license number as evidence of Bidder’s State Contractor’s License or a covenant by Bidder to obtain said license within the time for acceptance of Bids;
 - F. Required Bidder Qualification Statement with supporting data; and

ARTICLE 3—BASIS OF BID—UNIT PRICES

3.01 *Total Base Bid Price – GROUP A (Unit Prices)*

No.	Item	Est. Qty.	Unit	Unit Cost	Extended Cost
1	Mobilization (Max. \$110,000)	1	LSUM	\$	\$
2	Silt Fence	2,715	Ft	\$	\$
3	Tree Removal	11	Ea	\$	\$
4	Tree Protection Fence	2,180	Ft.	\$	\$
5	Concrete Paving Removal	115	Syd	\$	\$
6	Brick Paver Removal	48	Syd	\$	\$
7	Asphalt Paving Removal	12	Syd	\$	\$
8	Concrete Curb Removal	4	Ft	\$	\$
9	Infield Stone Surface Removal	2,810	Syd	\$	\$
10	Concrete Retaining Wall Removal	140	Ea	\$	\$
11	Concrete Bleacher Riser Removal (includes bleacher removal)	540	Sft	\$	\$

12	Baseball Field Press Box Removal	1	LSUM	\$	\$
13	Softball Field Small Press Box Removal/Salvage	1	LSUM	\$	\$
14	Backstop Removal	2	Ea	\$	\$
15	Wood Railing Removal	42	Ft	\$	\$
16	Chain Link Fence Removal	1,165	Ft	\$	\$
17	Irrigation System and Equipment Removal	1	LSUM	\$	\$
18	Site Grading (outside of playable field area)	1	LSUM	\$	\$
19	Site Grading (inside playable field area)	1	LSUM	\$	\$
20	Concrete Sidewalk	8118	Sft	\$	\$
21	Concrete Curb Patch	4	Ft	\$	\$
22	Asphalt Paving Patch	12	Syd	\$	\$
23	Limestone Screenings Walk	1,610	Sft	\$	\$
24	Infield Mix	245	Cyd	\$	\$
25	Warning Track Mix	201	Cyd	\$	\$
26	Stone Dust	446	Cyd	\$	\$
27	8' Ht. Vinyl Coated Chain Link Fence	100	Ft	\$	\$
28	6' Ht. Vinyl Coated Chain Link Fence	980	Ft	\$	\$
29	5' Ht. Vinyl Coated Chain Link Fence	1,335	Ea	\$	\$
30	Foul Pole	4	Ea	\$	\$
31	Baseball Backstop Masonry Wall	150	Ft	\$	\$
32	Softball Backstop Masonry Wall	75	Ft	\$	\$
33	Baseball Tension Netting System	1	LSUM	\$	\$
34	Softball Tension Netting System	1	LSUM	\$	\$
35	27' Bleachers	2	Ea	\$	\$
36	15' Bleachers	1	Ea	\$	\$
37	Backstop Wall Padding	225	Ft	\$	\$
38	Restoration Turf Seed	6320	Syd	\$	\$
39	Sports Field Turf Seed	12,840	Syd	\$	\$
40	3/4" Water Service Line	7	Ft	\$	\$
41	2" Water Service Line	11	Ft	\$	\$
42	6" PVC Sanitary Pipe	143	Ft	\$	\$
43	Trench Drain	150	Ft	\$	\$
44	Yard Drain Basin	1	Ea	\$	\$
45	6" Flexible Perforated PVC Drain Pipe	160	Ft	\$	\$
46	6" Flexible Solid PVC Drain Pipe	57	Ft	\$	\$
47	Subsurface Detention Coarse Aggregate	176	Cyd	\$	\$
48	Cleanout	1	Ea	\$	\$
49	Standard Catch Basin, 2'	2	Ea	\$	\$
50	BDS 50 mm Slit Trenches, 5' O.C.	1	LSUM	\$	\$
51	Home Plates, Pitchers Rubbers, Bases	1	LSUM	\$	\$
52	Site Electrical Work (excluding Alternate #1 specific electrical costs)	1	LSUM	\$	\$
53	Irrigation	1	LSUM	\$	\$
	Total Base Bid Group A Price				\$

3.02 Total Base Bid Price – GROUP B (Unit Prices)

No	Item	Est Qty	Unit	Unit Cost	Extended Cost
54	Concrete Paving Removal (for water service connection)	3	Syd	\$	\$
55	Water Service Tapping Fee	1	Ea	\$	\$
56	1" Water Service Line	175	Ft	\$	\$
57	Sanitary Sewer, 6" PVC Lateral	362	Ft	\$	\$
58	Concrete Sidewalk (replacement for water service connection)	25	Sft	\$	\$
59	Turf Seed Restoration	60	Syd	\$	\$
	Total Base Bid Group B Price				\$

3.03 Total Base Bid Price – GROUP C (Unit Prices)

No	Item	Est Qty	Unit	Unit Cost	Extended Cost
60	18" Storm Sewer Pipe Removal	126	Ft	\$	\$
61	Manhole Removal	1	Ea	\$	\$
62	Concrete Foundations and Steel Beams Removal	1	LSUM	\$	\$
63	Existing 18" VCP Storm Sewer Pipe Pre-Cleaning and Televising	540	Ft	\$	\$
64	Existing 18" VCP Storm Sewer Pipe Cleaning	540	Ft	\$	\$
65	Existing 18" VCP Storm Sewer Pipe Lining	540	Ft	\$	\$
66	Existing 12" VCP Storm Sewer Pipe Pre-Cleaning and Televising	245	Ft	\$	\$
67	Existing 12" VCP Storm Sewer Pipe Cleaning	245	Ft	\$	\$
68	Existing 12" VCP Storm Sewer Pipe Lining	245	Ft	\$	\$
69	Slope Re-Grading	1	LSUM	\$	\$
70	Replace Drain Structure Cover, MDOT Cover Q, Modified	1	Ea	\$	\$
71	18" Culvert End Section	1	Ea	\$	\$
72	18" Smooth-Lined Corrugated Plastic Pipe	117	Ft	\$	\$
73	Rip Rap	65	Syd	\$	\$
74	Turf Seed Restoration	110	Syd	\$	\$
	Total Base Bid Group C Price				\$

3.04 Total Alternate #1 Price (Unit Prices)

No	Item	Est Qty	Unit	Unit Cost	Extended Cost
75	Concession / Press Box Structure	2	Ea	\$	\$
76	Additional Concrete Sidewalk to Building Foundation	1120	Sft	\$	\$
77	Concession / Press Box Specific Electrical Work	1	LSUM	\$	\$

Total Alternate #1 Bid Price	\$
------------------------------	----

3.05 Total Alternate #2 Price (Unit Prices)

No	Item	Est Qty	Unit	Unit Cost	Extended Cost
78	12" VCP Storm Sewer Pipe Removal	219	Ft	\$	\$
79	18" VCP Storm Sewer Pipe Removal	540	Ft	\$	\$
80	Below Grade Manhole Removal	1	Ea	\$	\$
81	12" Smooth-Lined Corrugated Plastic Storm Pipe	182	Ft	\$	\$
82	Televis 12" Smooth-Lined Corrugated Plastic Storm Pipe	182	Ft	\$	\$
83	18" Smooth-Lined Corrugated Plastic Storm Pipe	541	Ft	\$	\$
84	Televis 18" Smooth-Lined Corrugated Plastic Storm Pipe	541	Ft	\$	\$
	Total Alternate #2 Bid Price				\$

ARTICLE 4—TIME OF COMPLETION

- 4.01 Bidder agrees that the Work will be substantially complete and will be completed and ready for final payment in accordance with Paragraph 15.06 of the General Conditions on or before the dates or within the number of calendar days indicated in the Agreement.
- 4.03 Bidder agrees that the Work will be substantially complete **by November 10, 2023** as provided in Paragraph 4.01 of the General Conditions, and will be completed and ready for final payment in accordance with Paragraph 15.06 of the General Conditions **by November 17, 2023**
- 4.04 Bidder accepts the provisions of the Agreement as to liquidated damages.

ARTICLE 5—BIDDER’S ACKNOWLEDGEMENTS: ACCEPTANCE PERIOD, INSTRUCTIONS, AND RECEIPT OF ADDENDA

- 5.01 *Bid Acceptance Period*
- A. This Bid will remain subject to acceptance for 60 days after the Bid opening, or for such longer period of time that Bidder may agree to in writing upon request of Owner.
- 5.02 *Instructions to Bidders*
- A. Bidder accepts all of the terms and conditions of the Instructions to Bidders, including without limitation those dealing with the disposition of Bid security.
- 5.03 *Receipt of Addenda*
- A. Bidder hereby acknowledges receipt of the following Addenda:

Addendum Number	Addendum Date

ARTICLE 6—BIDDER’S REPRESENTATIONS AND CERTIFICATIONS

6.01 *Bidder’s Representations*

A. In submitting this Bid, Bidder represents the following:

1. Bidder has examined and carefully studied the Bidding Documents, including Addenda.
2. Bidder has visited the Site, conducted a thorough visual examination of the Site and adjacent areas, and become familiar with the general, local, and Site conditions that may affect cost, progress, and performance of the Work.
3. Bidder is familiar with all Laws and Regulations that may affect cost, progress, and performance of the Work.
4. Bidder has carefully studied the reports of explorations and tests of subsurface conditions at or adjacent to the Site and the drawings of physical conditions relating to existing surface or subsurface structures at the Site that have been identified in the Supplementary Conditions, with respect to the Technical Data in such reports and drawings.
5. Bidder has carefully studied the reports and drawings relating to Hazardous Environmental Conditions, if any, at or adjacent to the Site that have been identified in the Supplementary Conditions, with respect to Technical Data in such reports and drawings.
6. Bidder has considered the information known to Bidder itself; information commonly known to contractors doing business in the locality of the Site; information and observations obtained from visits to the Site; the Bidding Documents; and the Technical Data identified in the Supplementary Conditions or by definition, with respect to the effect of such information, observations, and Technical Data on (a) the cost, progress, and performance of the Work; (b) the means, methods, techniques, sequences, and procedures of construction to be employed by Bidder, if selected as Contractor; and (c) Bidder’s (Contractor’s) safety precautions and programs.
7. Based on the information and observations referred to in the preceding paragraph, Bidder agrees that no further examinations, investigations, explorations, tests, studies, or data are necessary for the performance of the Work at the Contract Price, within the Contract Times, and in accordance with the other terms and conditions of the Contract.
8. Bidder is aware of the general nature of work to be performed by Owner and others at the Site that relates to the Work as indicated in the Bidding Documents.
9. Bidder has given Engineer written notice of all conflicts, errors, ambiguities, or discrepancies that Bidder has discovered in the Bidding Documents, and of discrepancies between Site conditions and the Contract Documents, and the written resolution thereof by Engineer is acceptable to Contractor.

10. The Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for performance and furnishing of the Work.
11. The submission of this Bid constitutes an incontrovertible representation by Bidder that without exception the Bid and all prices in the Bid are premised upon performing and furnishing the Work required by the Bidding Documents.

6.02 *Bidder's Certifications*

A. The Bidder certifies the following:

1. This Bid is genuine and not made in the interest of or on behalf of any undisclosed individual or entity and is not submitted in conformity with any collusive agreement or rules of any group, association, organization, or corporation.
2. Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid.
3. Bidder has not solicited or induced any individual or entity to refrain from bidding.
4. Bidder has not engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract. For the purposes of this Paragraph 8.02.A:
 - a. Corrupt practice means the offering, giving, receiving, or soliciting of anything of value likely to influence the action of a public official in the bidding process.
 - b. Fraudulent practice means an intentional misrepresentation of facts made (a) to influence the bidding process to the detriment of Owner, (b) to establish bid prices at artificial non-competitive levels, or (c) to deprive Owner of the benefits of free and open competition.
 - c. Collusive practice means a scheme or arrangement between two or more Bidders, with or without the knowledge of Owner, a purpose of which is to establish bid prices at artificial, non-competitive levels.
 - d. Coercive practice means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the bidding process or affect the execution of the Contract.

BIDDER hereby submits this Bid as set forth above:

Bidder:

(typed or printed name of organization)

By:

(individual's signature)

Name:

(typed or printed)

Title:

(typed or printed)

Date:

(typed or printed)

If Bidder is a corporation, a partnership, or a joint venture, attach evidence of authority to sign.

Attest:

(individual's signature)

Name:

(typed or printed)

Title:

(typed or printed)

Date:

(typed or printed)

Address for giving notices:

Bidder's Contact:

Name:

(typed or printed)

Title:

(typed or printed)

Phone:

Email:

Address:

Bidder's Contractor License No.: (if applicable) _____